



# VIKING Passenger

*Safety solutions that protect people and business*



**VIKING LIFE-SAVING EQUIPMENT**  
*- Protecting people and business*

# Discover the





# VIKING advantage

## Life-saving equipment is serious business

Life-saving equipment for passenger vessels is a complicated business. To choose the right equipment at the outset all aspects have to be considered – from original design to cost effective maintenance. For when it comes to equipping passenger vessels, the advice you get is just as important as the products.

## Efficient safety solutions

VIKING offers a choice of marine evacuation systems, product packages and servicing agreements that range from top of the line innovations to standard options.

And we make sure you get what you need – from putting together total packages for new buildings, producing custom designed evacuation systems, supplying the right combination of personal protective equipment and marine fire safety packages, as well as professional and convenient training, servicing and replacement.





# The world leader in marine safety solutions

**Empowered by worlds most extensive range of evacuation chute and slide systems - only VIKING can offer systems for all vessel types and sizes**

VIKING's advanced marine evacuation systems provide fast and easy evacuation, exceptional stability and are trusted by passengers and crew worldwide.

The flexibility and sheer depth of our range of tailor made and standard evacuation chutes, minichutes, slides and minislide systems ensures you the expertise you need to make the right decision to suit your vessels safety requirements.

## **Cost-effective and convenient service**

VIKING has more than 1,300 evacuation systems currently in operation and our extensive network of locally-based servicing technicians are at hand to offer convenient service, where and when you need it.

Contact your local VIKING branch and learn more about what makes VIKING marine safety solutions so special and how we can help you make the right choice - the first time around.



# Marine Evacuation Chute Systems

- safe and flexible safety solutions customized for any vessel type and capacity

## VIKING Evacuation Dual Chute (VEDC)

### For high capacity, high sided vessels

The evacuation dual chute, or VEDC, is VIKING's highest capacity chute system with an evacuation capacity of 908 people in 30 minutes. It is combined with 150 person liferafts for safe, rapid evacuation from large passenger carrying vessels. Capacity can be increased to suit the exact ship requirement with additional drop down liferafts.

This unique design combines the highest evacuation capacity with discreet, compact and self-contained design for maximum safety and relatively little deck disruption.

- Evacuation capacity: 908 people in 30 minutes
- The chute is reinforced with Aramid that protects against the elements
- Embarkation heights between 8.9 and 16.8 metres
- Easy to deploy
- Requires few crew to operate and little specialised training
- Contains 2, 153 person liferafts
- Supplied with either SOLAS emergency A or B pack
- Complies with all major international regulations
- Available with service system

The VEDC is constructed from two conjoined chutes. The fully enclosed chute lined with DuPont™ Kevlar® protects evacuees from environmental hazards, such as severe weather conditions, during descent directly into high capacity liferafts.



*Largest capacity chute system available*

EP Patent No. 2029239B1 - Patent Pending, NO  
US Patent No. 8312967B2  
EP Patent No. 2076316B1

# VIKING Evacuation Chute (VEC)

## For high sided passenger vessels

The telescopic nature of the reinforced Kevlar evacuation chute ensures a safe descent path and compensates for ship and sea movements so that evacuation is not obstructed. This system has the additional advantage of protecting evacuees from environmental hazards such as severe weather conditions and is fitted with a protective cover.

The system is self-contained and compact, which means that it can be installed almost anywhere on board; on open deck, between decks in an open recess, or built into the ship's side. It is available with 2 or 3, 101 person liferafts.

- Evacuation capacity: 565 people within 30 minutes
- Installation heights from 5 to 20 metres
- Flexible and stable, even in very rough seas
- Simple to operate
- Requires few crew to operate and little specialised training



# VIKING Evacuation MiniChute (VEMC)

## For small, medium and larger vessels

This system can be used by vessels with embarkation heights from 5 to 20 m. Although the VEMC was originally designed for small and medium sized vessels, its flexible design means that it can also be used for larger vessels.

The VEMC is lightweight and compact, and is fully contained in the stowage unit for installation almost anywhere on board; on open deck or between decks in an open recess.

The chute has a pre-incorporated 101 person or 153 person self-righting liferaft and can evacuate 582 people in 30 minutes. Capacity can be increased by attaching additional throw overboard liferafts.

- Evacuation capacity: 582 people in 30 minutes
- Installation heights from 5 to 20 metres
- Flexible and lightweight design
- Chute reinforced with DuPont™ Kevlar® for evacuee protection
- Available with A or B SOLAS emergency pack



EP Patent No. 1490261B2  
US Patent No. 7159527B2



# Marine Evacuation Slide Systems

- adaptable capacity for vessels operating in all types of weather conditions



## VIKING Evacuation Slide (VES)

For any ship design and capacity



This slide is a stable, efficient dry shod evacuation system that can be tailor made to suit all types of vessels. Available with self-righting 25, 51 or 101 person liferaft combinations.

The dual track slide consists of 12 main tubes with 8 separate compartments that are individually inflated. This means that the slide's stability is not compromised in the unlikely event of a puncture in any one place.

The slide is fitted with ropes that allow for access up the slide. This enables the system to double as a means of rescue in a man overboard situation.

- Evacuation capacity: 657 people within 30 minutes
- Installation height from 6 to 15 metres
- Extremely stable, even in very rough seas
- Can be installed in extreme forward and aft locations
- Can be used as means of rescue (MOR)





## VIKING

### Automatic Slide (VAS)

#### Compact design and high capacity

VIKING has developed a 153-person, open reversible liferaft and mini slide system packed into a single aluminum stowage box. The real magic of the system lies in its one-button, one-person release and operation.

The VAS system is designed and certified for vessels on domestic voyages such as ferries sailing in protected waters. It enables crew to evacuate up to 153 people in one go and is designed for evacuation heights of 1.5 - 3.65 m.

The VAS system is very easy to install. It comes in a box that's placed flush with the ship side, bolted to the deck and ready to go. No bowsing lines or welded connection points on the ship's side are necessary.

Patent Pending EP

## SOLAS liferaft system with slide (VELS, SMS)

This latest system is designed for middle and low embarkation vessels with independent slide and 150 person liferaft for increased capacity and installation flexibility.

The system requires only one crew member to operate and oversee evacuation. The new brake cushion system gives evacuees a clear stopping point at the bottom of the slide and a soft stop.

- Embarkation heights between 1.5 and 4.2 metres
- Evacuates 303 people in 17 minutes and 40 seconds
- Fully operational within 2 minutes
- Available with canopied self-righting or open reversible liferaft
- Single bowsing winch technology for faster, easier bowsing

**AWARD  
WINNING  
DESIGN**



EP Patent No.1790565B1 - NO Patent No. 330482B1

## VIKING Evacuation MiniSlide (VEMS)

### For vessels with low embarkation deck heights

The minislide system is designed for vessels operating in any sea condition. It is available with an open reversible (non-canopied) liferaft designed for use in protected waters or a self-righting and canopied liferaft to protect evacuees in open seas.

The 101 person liferaft and slide are pre-attached and stored together in the container, saving valuable evacuation time.

Additional liferafts can be installed along with the system to increase evacuation capacity to suit any vessel requirements. With additional throw overboard liferafts, the VEMS can evacuate 303 people in 17 minutes and 40 seconds.

- Evacuates 303 people in 17 minutes and 40 seconds
- Flexible installation and capacity
- Fully operational within 2 minutes
- Requires few trained crew members





# Liferafts

**VIKING's throw-overboard and davit launchable liferafts are available in a standard version and a top of the line automatically self-righting version.**

The proven self-righting liferafts ensure that no matter how the liferaft lands in the water it will always right itself ready for boarding. Liferafts can be equipped with a hydrostatic release unit to ensure that it inflates automatically if they have not been released manually.

Our liferafts are subjected to rough sea trials, wind velocity tests at forces of 30 metres per second and deployed at extremely low temperatures. Self-righting liferafts are also tested for automatic self-righting.





## Evacuation system Liferafts

**The wide range of liferaft types suitable for use with the marine evacuations systems ensures flexible solutions for all types of passenger vessels.**

Liferafts with capacities of 25 and above can be used as supplementary liferafts to all VIKING marine evacuation systems.

- 25 and 35 person canopied liferafts
- 25, 51, 101 and 153 person self-righting liferafts
- 25, 51, 101 and 153 person open reversible liferafts

101 and 153 person self-righting liferafts have a Patent Pending PCT

- Equipped with emergency packs and additional liferaft equipment according to SOLAS requirements
- Features at least two individual buoyancy compartments. If one of the compartments is damaged, there will still be sufficient buoyancy to carry the specified number of passengers
- Stored in a durable fibreglass container
- Installed onboard either on cradles and racks, or stacked on top of each other
- Remote release systems allow liferaft containers to be stored far away from the MES system

## Davit-launched Liferafts

**Can be used as an alternative or supplement to marine evacuation systems**



Davit launched liferafts are designed to be inflated and boarded at deck level, and then lowered into the water. They are available as self-righting canopied liferafts or standard canopied liferafts.

They are designed to carry 12, 25, 35 or 39 people and are an effective means of dry shod evacuation.

Davit launched liferafts can be used either as an alternative or as a supplement to chute or slide based marine evacuation systems.

**FOR  
PASSENGERS  
AND CREW**



# Lifejackets

**PV9520 is tailored for maximum safety with a host of features and exceptional fit, designed to take up minimum storage space without compromising safety features.**

**Intended for use on all commercial passenger vessels. VIKING lifejackets fulfill existing SOLAS requirements as described in MSC-200(81).**



# Solid Lifejackets

The **VIKING PV9520 lifejacket takes up minimum storage space without compromising safety features**

## VIKING SOLAS Lifejacket

Extremely compact 140N solid lifejacket

- Superior in-water performance
- Orange or high visibility yellow
- Emergency light (optional), whistle, buddy line and lifting hand grip
- Low profile front panels for increased mobility and field of vision
- Back panel for comfortable fit and easy donning and doffing
- Available in multi approved versions: USCG, TC, MED. Itemno. PV9521

### ITEM NO.: PV9520

96/98/EC and MSC-81(70) approved, MSC-207(81) and MSC-200(80) compliant



VARIANTS	
<b>PV9508</b>	VIKING SOLAS lifejacket, child
<b>PV9506</b>	VIKING SOLAS lifejacket, infant
RELATED PRODUCTS	
<b>1061654</b>	Integrated lifejacket light for use with VIKING PV9520 lifejacket, water activated (WR3) without clips
<b>1060868</b>	Clips for Lifejacket light WR3 (1061654)

## Lifejacket light Daniamant WR3

- Single compact flashing light water activated
- Water and manually activated
- Recessed version of W3
- Light without clips for mounting

### ITEM NO.: 1061654

Approved according to USCG



VARIANTS	
<b>1060868</b>	Clips for lifejacket light Daniamant WR3 (1061654)
<b>1065013</b>	Lifejacket light, Daniamant M3 (manually activated)
<b>1064996</b>	Lifejacket light, Daniamant W3 (water activated)
<b>1065012</b>	Clips for lifejacket light Daniamant M3 and W3 (1065013/1064996)
<b>1061461</b>	Lifejacket light, Daniamant W4-A (Water activated, Alkaline battery)
<b>1063068</b>	Clip for lifejacket light Daniamant W4-A (1061461)
RELATED PRODUCTS	
<b>PV9320</b>	Inflatable lifejacket, symmetrical 180N, configurable
<b>PV9360</b>	Inflatable lifejacket, symmetrical 275N, configurable
<b>PV9361</b>	Inflatable lifejacket, asymmetrical 275N, configurable
<b>PV9520</b>	VIKING SOLAS solid lifejacket

# Inflatable Lifejackets

**VIKING inflatable SOLAS 180N lifejacket with optional wipe clean or heat resistant covers**

- Choice of CORDURA® or wipe clean covers
- Options of 180N or 275N double compartment buoyancy chambers
- Belt-style waist with an integrated, padded back panel
- Optional sprayhood
- Option of Halkey Roberts® or Hammar® inflator systems
- Water-activated lifejacket light
- Front buckle systems (with or without D-ring)
- Dual crotch strap
- Integrated neck support/comfort padding
- SOLAS approved

### ITEM NO.: PV9340





# Protective Suits

**VIKING offers a wide range of immersion and anti-exposure work suits for constant wear with a choice of cutting-edge materials and features for all needs.**

**Quality immersion and constant wear suits are more durable, require fewer repairs and have a longer life expectancy. All factors that affect costs in the long run.**



# Anti-exposure Work Suit for Constant Wear

VIKING's new generation, highly flexible anti-exposure and immersion suit for constant wear lets you work hard and stay safe under extreme maritime conditions.

The dual-approved, fitted and ergonomically enhanced suit is designed to perform across multiple marine applications - and beyond excellent protection, it offers great comfort, functionality and freedom of movement.

- GORE-TEX® PAZIFIK™ outer fabric
- Thermal lining
- Radio, knife and removable pockets
- Lifting becket, buddy line, light and whistle
- Choice of attached safety boots, rubber boots or watertight socks

ITEM NO.: PS4190/4191

SOLAS and ISO approved as anti-exposure and immersion suit

VARIANTS  
FOR USE WITH,  
OR WITHOUT,  
A LIFEJACKET



## Immersion Suits

Top of the line models with built-in buoyancy, extra durability and extended protection

### VIKING Immersion Suit, PU Coated Nylon



- Built-in buoyancy
- Top of the line model with extra durability and extended protection
- Extra thermal barrier (300 g/m²)
- Interior braces for adjustable length
- Detachable gloves
- Lifting becket, buddy line and emergency light
- Airtight packaging optional
- Sizes: Universal 140-200 cm  
Over-size 190-210 cm
- Weight: 5.1 kg
- Tested to -62C storage and donning
- Dimensions:  
H x 67 x W 50 x D 24 cm (packed)

TOP OF  
THE LINE



ITEM NO.: PS5002

VARIANTS	
PS5019	Top of the line immersion suit. One size with built-in buoyancy, lifting becket, buddy line, whistle and emergency line
PS5006	PU coated Nylon immersion suit. Standard model with detachable gloves and optional buddy line and lifting becket. Must be worn with a lifejacket
RELATED PRODUCTS	
-	-

### VIKING Neoprene immersion suit



- 6-hour SOLAS approval
- Standard model, must be worn with an approved lifejacket
- Detachable gloves
- Included in the VIKING Exchange Agreement concept with fixed price service
- Sizes: Universal 140-200 cm  
Over-size 170-210 cm

ITEM NO.: PS2014

UKHSE Compliant  
Compatibility tested with  
PV9360

BESTSELLER



VARIANTS	
-	-
RELATED PRODUCTS	
PV9320	Inflatable lifejacket, symmetrical 180N, configurable
PV9360	Inflatable lifejacket, symmetrical 275N, configurable
PV9361	Inflatable lifejacket, asymmetrical 275N, configurable
PV9520	VIKING SOLAS solid lifejacket



# Marine Fire Safety Equipment

**VIKING supplies complete packages of approved firefighter suits and related fire safety equipment according to the latest regulations.**

**VIKING manufactures fire suits from top of the line combined immersion and fire suits, to traditional fire suits according to both EN469 and NFPA.**



# SOLAS Marine Fire Package

There are specific SOLAS/MED requirements for marine fire-fighting as well as flag state approval requirements. VIKING can supply a full package of approved products as needed for your fleet.



## VIKING Aramid® Multi-layer firefighter suit

- Approved for structural fire fighting
- Quality Firefighter Suit with insulation for extra protection against conductive heat
- Complete outfit with two piece Firefighter Suit, gloves, helmet and boots
- Sizes: S, M, L, XL, XXL
- Weight: 7.26 kg
- Dimensions:  
H 55 x W 46 x D 23 cm (packed)

### ITEM NO.: PS3789

CE approved according to  
EN469/2005 and 96/98/EC SOLAS



VARIANTS	
<b>PS6573</b>	VIKING Aramid® firefighter suit
RELATED PRODUCTS	
<b>1054203</b>	Visor for fire helmet 1024995
<b>1024862</b>	Neck protection for fire helmet 1024995

## VIKING two piece Nomex® firefighter suit

- Quality Firefighter Suit with insulation for extra protection against radiant heat
- High performing towards EN469 level 2
- Good comfort for extended wear
- Approved for structural fire fighting
- Reflective trim, removable knee pads, radio and box pockets
- Sizes: S, M, L, XL, XXL, SPL

### ITEM NO.: PS6598

CE approved according to  
EN469/2005 and 96/98/EC SOLAS



VARIANTS	
<b>PS7161</b>	VIKING Titan two piece firefighter suit
RELATED PRODUCTS	
<b>S-5260360xx</b>	Firefighter boots
<b>1017949</b>	Firefighter gloves

## Firefighter gloves

- Black leather gloves
- Waterproof and fire resistant
- Sizes: 7-12
- Weight: 366-422 g
- Dimensions: W 33 x H 18 x D 5 cm (packed size 7)

### ITEM NO.: 10179XX

CE approved according to  
EN659 and 96/98/EC SOLAS



VARIANTS	
<b>1027424</b>	Shelby NFPA gloves, model 5228
<b>1039XXX</b>	VIKING firefighter gloves (Helios 8008-E)
RELATED PRODUCTS	
-	-

## Firefighter boots

- Comfortable boots with reinforced toes and midsole
- Heat and oil resistant rubber sole with protection against penetrating nails
- Sizes: 36-50
- Weight: 2.8 - 3.69 kg
- Dimensions: H 44 x L 33 x W 12 cm (packed size 45)

### ITEM NO.: S-5260360XX

Approved according to EN 15090:2006,  
EN ISO 20345:2004 and SOLAS/MED



VARIANTS	
<b>S-5260170XX</b>	NFPA firefighter boots (rubber)
RELATED PRODUCTS	
<b>PS3789</b>	VIKING Aramid® multi-layer firefighter suit
<b>1054203</b>	Visor for firefighter helmet



## EEBD escape set Ocenco M-20.2

- No additional service charges such as annual fees and hydrostatic testing
- Very low incidence of leakage compare to compressed air devices
- Completely water tight sealed case protects all of the components from mold, vermin, salt spray, etc.
- Can be worn in the belt during inspections or other work related situations
- Meets all national and international standards
- One time use unit, training need to be carried out with OCENCO's training
- Solid track record since 2001

**ITEM NO.: 1008018**



VARIANTS	
<b>1043554</b>	EEBD Escape Set Drager SAVER CF 15
<b>1042498</b>	EEBD Escape Set Scott ELSA 15B
RELATED PRODUCTS	
<b>1008020</b>	Steel bracket for EEBD Ocenco

## Steel bracket for Ocenco M-20.2 EEBD

- Easily mounted on wall

**ITEM NO.: 1008020**



VARIANTS	
-	-
RELATED PRODUCTS	
<b>1008018</b>	Emergency escape breathing device (EEBD)

## Training model for emergency escape breathing device with video and manual (Ocenco)

- Training set for Ocenco EEBD including 2 extra mouth pieces, instruction manual and training video.
- Weight: 2.3 kg
- Dimensions:  
H 34 x W 33.5 x D 14 cm

**ITEM NO.: 1008021**



VARIANTS	
-	-
RELATED PRODUCTS	
<b>1008020</b>	Steel bracket for EEBD

## Fire extinguisher, foam

- Cartridge operated A.B.S.
- 9 L AFFF foam
- Suitable for fire classes A, B and F

**ITEM NO.: 1038577**



VARIANTS	
<b>1061989</b>	Fire Extinguisher, Foam, 6 L, Stored Pressure, Class ABF, A.B.S.
<b>1060126</b>	Fire Extinguisher, Foam, 9 L, Stored Pressure, Class ABF, A.B.S.
<b>1060811</b>	Fire Extinguisher, Foam, 6 L, Cartridge, Class ABF, A.B.S.
<b>1061988</b>	Fire Extinguisher, Foam, 9 L, Class AB, A.B.S.
<b>1036968</b>	50 L AFFF foam cartridge operated, wheeled fire extinguisher
<b>1060502</b>	50 L AFFF foam stored pressure, wheeled fire extinguisher
<b>1036969</b>	150 L AFFF foam fire extinguisher
RELATED PRODUCTS	
-	-

## Fire-extinguisher, powder

- Cartridge operated
- ABC Powder
- 6 kg

ITEM NO.: 1041530



VARIANTS	
1041536	9 kg ABC dry powder cartridge operated
1041540	12 kg ABC dry powder cartridge operated
RELATED PRODUCTS	
1050891	Marine bracket for 6 kg / 6 litre fire-extinguisher
1035459	Marine bracket for 9 kg / 9 litre fire-extinguisher
1040644	Marine bracket for 12 kg / 12 litre fire-extinguisher
1041535	Cartridge for 6 kg ABC dry powder fire-extinguisher (110 g CO <sub>2</sub> cartridge)
1041539	Cartridge for 9 kg ABC dry powder fire-extinguisher (150 g CO <sub>2</sub> cartridge)
1041542	Cartridge for 12 kg ABC dry powder fire-extinguisher (150 g CO <sub>2</sub> cartridge)
1041532	ABC dry powder for 6 kg fire-extinguisher
1022671	ABC dry powder for 9 kg fire-extinguisher
1041546	ABC dry powder for 12 kg fire-extinguisher

## Fire extinguisher, CO<sub>2</sub>

- Extinguisher A.B.S.
- 5 kg CO<sub>2</sub>
- Suitable for fire class B

ITEM NO.: 1059857



VARIANTS	
1059857	2 kg CO <sub>2</sub> extinguisher A.B.S.
1037154	10 kg CO <sub>2</sub> wheeled Fire Extinguisher
1036972	20 kg CO <sub>2</sub> wheeled Fire Extinguisher
1039101	30 kg CO <sub>2</sub> wheeled Fire Extinguisher
1055745	50 kg CO <sub>2</sub> wheeled Fire Extinguisher
RELATED PRODUCTS	
-	-

## Fire extinguisher, water

- Stored pressure A.B.S.
- 9 l water extinguisher
- Suitable for fire class A

ITEM NO.: 1060132



VARIANTS	
-	-
RELATED PRODUCTS	
-	-

## Marine brackets for portable fire extinguishers

- Brackets are available in several sizes
- Made of steel
- Incl. fixing strap




VARIANTS	
1055374	Marine bracket for SRI ABC powder 2 kg extinguisher A.B.S.
1035457	Marine bracket for 5 kg CO <sub>2</sub> extinguisher SRI and A.B.S.
1050891	Marine bracket for 6 kg, stored pressure SRI and A.B.S.
1062406	Marine bracket for 5 kg CO <sub>2</sub> extinguisher SRI and A.B.S.
1035459	Marine bracket for 9 or 12 kg/l SRI and A.B.S or 6 kg cartridge A.B.S.
1062407	Marine bracket for 9 kg/l stored pressure SRI and A.B.S.
RELATED PRODUCTS	
-	-



## Cartridges for fire extinguishers

- For use as spare part for cartridge operated fire extinguishers
- Made of steel



VARIANTS	
<b>1060046</b>	Cartridge for 6 kg ABC powder fire extinguisher A.B.S. (110 g CO <sub>2</sub> cartridge)
<b>1060812</b>	Cartridge for 6 l foam fire extinguisher A.B.S. (55 g CO <sub>2</sub> cartridge)
<b>1060047</b>	Cartridge for 9/12 kg ABC powder fire extinguisher A.B.S. (150 g CO <sub>2</sub> cartridge)
<b>1060045</b>	Cartridge for 9 l foam fire extinguisher A.B.S. (110 g CO <sub>2</sub> cartridge)
<b>1037009</b>	Cartridge for 50 l foam and 25 kg ABC powder fire extinguisher A.B.S. (1,3 kg CO <sub>2</sub> cartridge)
<b>1037010</b>	Cartridge for 150 l foam fire extinguisher A.B.S. (3,2 kg CO <sub>2</sub> cartridge)
RELATED PRODUCTS	
-	-

## Jet spray nozzle

- Body of Polyoxymethylene (POM)
- Operating head of rubber (NBR)
- Corrosion and high impact resistant
- Inlet connection: 2" BSP male thread
- Delivered with various types of adaptors on request
- AWG and Navutec brands available

ITEM NO: -



VARIANTS	
<b>1042278</b>	Jet/spray nozzle, 12 mm without adaptor, Navutec
<b>1050704</b>	Jet/spray nozzle, 12 mm without adaptor, AWG
<b>1042280</b>	Jet/spray nozzle, 16 mm without adaptor, Navutec
<b>1050702</b>	Jet/spray nozzle, 16 mm without adaptor, AWG
<b>1042283</b>	Jet/spray nozzle, 19 mm without adaptor, Navutec
<b>1045125</b>	Jet/spray nozzle, 20 mm without adaptor, AWG
RELATED PRODUCTS	
<b>1021188</b>	Fire hose, standard, 2", 20 m, Storz C aluminium

## Fire blanket

- 180 x 120 cm
- Packed in a hard box

ITEM NO.: 1009250



VARIANTS	
<b>1048040</b>	Fire blanket packed in a soft bag
RELATED PRODUCTS	
-	-

## Standard fire hose with Storz couplings

- 100% synthetic yarn (outer material), synthetic rubber (liner)
- Diameter: 1.5-2.5"
- Colour: White
- Other lengths and couplings available upon request



Due to new regulations 2.5" no longer holds MED approval



VARIANTS	
<b>1034662</b>	Fire hose, standard 1.5", 15 m Storz 38 aluminium
<b>1032437</b>	Fire hose, standard 1.5", 15 m Storz 38 brass
<b>1032436</b>	Fire hose, standard 1.5", 20 m Storz 38 brass
<b>1032873</b>	Fire hose, standard 1.5", 20 m Storz C brass
<b>1022680</b>	Fire hose, standard 2", 15 m, Storz C aluminium
<b>1022683</b>	Fire hose, standard 2", 15 m, Storz C brass
<b>1021188</b>	Fire hose, standard 2", 20 m Storz C aluminium
<b>1022684</b>	Fire hose, standard 2", 20 m, Storz C brass
<b>1022681</b>	Fire hose, standard 2", 25 m, Storz C aluminium
<b>1022685</b>	Fire hose, standard 2", 25 m, Storz C brass
<b>1022686</b>	Fire hose, standard 2.5", 15 m, Storz 65 aluminium
<b>1022689</b>	Fire hose, standard 2.5", 15 m, Storz 65 brass
<b>1022687</b>	Fire hose, standard 2.5", 20 m, Storz 65 aluminium
<b>1022690</b>	Fire hose, standard 2.5", 20 m, Storz 65 brass
<b>1022688</b>	Fire hose, standard 2.5", 25 m, Storz 65 aluminium
<b>1022691</b>	Fire hose, standard 2.5", 25 m, Storz 65 brass
RELATED PRODUCTS	
<b>1038295</b>	Fire hose, standard 2", 60 m without couplings
<b>1038296</b>	Fire hose, standard 2.5", 60 m without couplings

# Lifebuoys & Accessories

## Product packages and turnkey solutions

### Lifebuoys

VIKING supplies lifebuoys and related equipment, including lights, brackets, release units, line throwing devices and line, according to SOLAS regulations for life saving appliances.

### Ladders

Embarkation and pilot ladders are available in various lengths and are approved in accordance with MED and SOLAS. They are constructed from weather resistant, sturdy materials and are designed for maximum durability.

#### Lifebuoy package, 2.5 kg



PRODUCTS	
<b>1022623</b>	Lifebuoy, 2.5 kg, VIKING
<b>1022628</b>	Floating line for lifebuoy 30 m
<b>1001213</b>	Lifebuoy light L90
<b>1006513</b>	Bracket for lifebuoy light L90
<b>1034664</b>	Bracket for lifebuoy, stainless steel

#### Lifebuoy package, 4.3 kg



PRODUCTS	
<b>1022624</b>	Lifebuoy, 4.3 kg, VIKING
<b>1038349</b>	Quick release for MOB system, stainless steel
<b>1008636</b>	MOB signal and bracket
<b>1022628</b>	Floating line for lifebuoy 30 m
<b>1010967</b>	Lifeline per m (up to 200 m)



## Floating line for lifebuoy

- Diametre: 8 mm
- Length: 30 metres

**ITEM NO.: 1022628**



VARIANTS	
<b>1057947</b>	Floating line for lifebuoy 30 m in plastic tube for lifebuoy
<b>1010967</b>	Floating line for lifebuoy per m (up to 200 m)
<b>1039669</b>	Floating line for lifebuoy 45 m
<b>1039670</b>	Floating line for lifebuoy 60 m
RELATED PRODUCTS	
<b>1022623</b>	Lifebuoy, 2.5 kg, VIKING
<b>1022624</b>	Lifebuoy, 2.5 kg, Redding
<b>1036588</b>	Lifebuoy, 4.3 kg, VIKING
<b>1036590</b>	Lifebuoy, 4.3 kg, Redding

## Lifebuoy light

- Burn time: 8 hours
- Including bracket
- Batteries included

**ITEM NO.: 1050970**



VARIANTS	
<b>1001213</b>	Lifebuoy light L90 with batteries
<b>1006513</b>	Bracket for lifebuoy light 1001213
RELATED PRODUCTS	
<b>1004258</b>	Batteries for 1001213
<b>1003219</b>	Bulb for lifebouy light L90
<b>1037632</b>	Dome for lifebuoy light L90
<b>1037633</b>	Sealing ring for lifebuoy light L90

## Light smoke signal (MOB)

- Used with lifebuoys in MOB situations
- Includes lithium battery
- Burn time: 2 hours
- Light intensity: 2 candela
- Incl. mounting bracket
- Weight: 4.7 kg
- Dimensions: H 453 x Ø 275 mm

**ITEM NO.: 1008636**



VARIANTS	
<b>1024767</b>	Light smoke signal (MOB), Hansson PyroTech
RELATED PRODUCTS	
<b>1020803</b>	Adaptor plate for MOB signal

## Lifebuoy bracket

- For 72 cm lifebuoy
- Stainless steel (type SS 316)

**ITEM NO.: 1034664**



VARIANTS	
<b>1022625</b>	Lifebuoy bracket for 75 cm, stainless steel (type SS 316)
<b>1009246</b>	Lifebuoy bracket for 72-75 cm, stainless steel (type SS 316)
RELATED PRODUCTS	
<b>1022623</b>	Lifebuoy, 2.5 kg, VIKING
<b>1036588</b>	Lifebuoy, 2.5 kg, Redding
<b>1022624</b>	Lifebuoy, 4.3 kg, VIKING
<b>1036590</b>	Lifebuoy, 4.3 kg, Redding

## Embarkation ladder

- Wooden steps
- Available in various lengths

Approved according to MED



VARIANTS	
<b>1026189</b>	Embarkation ladder, 3 metres
<b>1026193</b>	Embarkation ladder, 4 metres
<b>1026188</b>	Embarkation ladder, 5 metres
<b>1024305</b>	Embarkation ladder, 6 metres
<b>1026190</b>	Embarkation ladder, 7 metres
<b>1026191</b>	Embarkation ladder, 8 metres
<b>1022380</b>	Embarkation ladder, 10 metres
<b>1026194</b>	Embarkation ladder, 11 metres
<b>1020998</b>	Embarkation ladder, 12 metres
<b>1020999</b>	Embarkation ladder, 14 metres
<b>1026198</b>	Embarkation ladder, 15 metres
<b>1021000</b>	Embarkation ladder, 16 metres
<b>1026200</b>	Embarkation ladder, 17 metres
<b>1021002</b>	Embarkation ladder, 18 metres
<b>1026202</b>	Embarkation ladder, 19 metres
<b>1021003</b>	Embarkation ladder, 20 metres
<b>1026205</b>	Embarkation ladder, 22 metres
<b>1029732</b>	Embarkation ladder, 27 metres
RELATED PRODUCTS	
-	-

## Pilot ladder

- Wooden steps
- Available in various lengths

Approved according to MED



VARIANTS	
<b>1026210</b>	Pilot ladder, 3 metres
<b>1022435</b>	Pilot ladder, 4 metres
<b>1026212</b>	Pilot ladder, 5 metres
<b>1010434</b>	Pilot ladder, 6 metres
<b>1020995</b>	Pilot ladder, 7 metres
<b>1020996</b>	Pilot ladder, 8 metres
<b>1010435</b>	Pilot ladder, 9 metres
<b>1026217</b>	Pilot ladder, 10 metres
<b>1023812</b>	Pilot ladder, 14 metres
<b>1023813</b>	Pilot ladder, 16 metres
<b>1023814</b>	Pilot ladder, 18 metres
<b>1026226</b>	Pilot ladder, 19 metres
<b>1023815</b>	Pilot ladder, 20 metres
RELATED PRODUCTS	
-	-

# Regulations for pilot ladders

Pilot and embarkation ladders must be approved according to MED.  
All VIKING pilot ladders have the necessary approvals.





# Global Service

**VIKING is a global all-in-one service provider offering consolidated servicing of safety equipment.**

## **Liferafts**

Certified liferaft servicing, including annual IMO-required servicing to the highest safety standards and fully manufacturer-approved. For especially fast turnaround, we offer fixed-price liferaft exchange.

## **Personal Protective Equipment (PPE)**

Efficient servicing and repairs of suits and lifejackets. Optional equipment exchange and customised fleet solutions with optimal conditions.

## **Marine Fire**

Supply, service and re-certification of a wide variety of extinguisher systems and other stationary or portable fire-fighting equipment.

Certified servicing stations perform thorough servicing of marine evacuation systems when and where you need it.

## **Evacuation systems**

Certified servicing stations perform thorough servicing of marine evacuation systems when and where you need it.

## **Lifeboats, hooks and davits**

Consolidated, multi-brand servicing in full compliance with applicable regulations, including annual or 5-year inspections.

For hook retrofits, we take care of everything from overhaul assessment to installation and performance testing.



# The source for maritime safety solutions

**VIKING's Maritime Safety Catalogue serves as a guide with important information on relevant products and regulations**

We can put together the optimal package for liferafts and lifeboats, life-saving appliances, fire-fighting equipment, signs and personal protective equipment. VIKING offers one local point of contact for all your safety equipment needs. Because when it comes to commercial vessels, a global service network is just as important as the safety equipment on board.

**Get your free copy at: [www.VIKING-life.com](http://www.VIKING-life.com) or contact your local VIKING office.**

# VIKING Global Network

## VIKING LIFE-SAVING EQUIPMENT A/S

(Headquarters)  
Saedding Ringvej 13  
6710 Esbjerg V  
Denmark

Tel: +45 76 11 81 00  
e-mail: VIKING@VIKING-life.com  
www.VIKING-life.com

### VIKING LIFE-SAVING EQUIPMENT Pty Ltd 20 Mews Road, Fremantle W.A 6160 Australia

Tel: +61 1300 287 845  
Fax: +61 1800 287 846

### VIKING LIFE-SAVING EQUIPMENT Pty Ltd 52 Exploration Drive, Gap Ridge Karratha W.A. 6174 Australia

Tel: +61 1300 287 845  
Fax: +61 1800 287 846  
e-mail: jbal@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT Brasil LTDA Av. Rio Branco 45 – 19th floor 20090-003 Centro Rio de Janeiro Brazil

Tel: +5521 2516 5005  
e-mail: viking-br@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT PRODUCTION BG LTD. BG4202 195-198 Vtora Str., Radinovo Bulgaria

### VIKING LIFE-SAVING EQUIPMENT China Building 3, 1456 Xin Tanwa Highway Pudong District 201321 Shanghai PR China

Tel: +86 21 6289 9922  
Fax: +86 21 5815 6010  
e-mail: viking-ch@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT Estonia AS Helgi tee 3 Peetri alevik, Rae vald 75312 Harjumaa. Estonia

Tel: +372 606 93 93  
Fax: +372 606 93 99  
e-mail: viking-ee@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT Oy, Finland Pääskykalliontie 13 F-21420 Lieto Finland

Tel: +358-(0)2-489 500  
Fax: +358-(0)2 489 5011  
e-mail: viking-fi@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT France S.a.r.l. 41, Rue Michel Ange 91026 Evry Cedex France

Tel: +33 (0) 160 87 09 00  
Fax: +33 (0) 160 87 09 01  
e-mail: viking-f@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT GmbH & Co. KG König-Georg-Stieg 5 D-21107 Hamburg Germany

Tel: +49 (0) 40 73 10 53 0  
Fax: +49 (0) 40 73 10 53 10  
e-mail: viking-d@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT Hong Kong Ltd. G/F, Chiap Luen Industrial Building 30-32, Kung Yip Street Kwai Chung, New Territories Hong Kong

Tel: +852 2429 7878  
Fax: +852 2423 6228  
e-mail: viking-hk@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT Ltd. Aberdeen Unit 19, Ocean Trade Centre Minto Avenue, Altens AB12 3JZ, Aberdeen Great Britain

Tel: +44 (0) 1224 898969  
Fax: +44 (0) 1224 894565  
e-mail: vikingabz@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT Ltd. Gt Yarmouth South Denes Road Gt Yarmouth, Norfolk – NR30 3 PJ Great Britain

Tel: +44 (0) 1493 850250  
Fax: +44 (0) 1493 851222  
e-mail: vikingldn@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT Ltd. Liverpool Unit 31, Wellington Employment Park Dunes Way L5 9RJ Liverpool Great Britain

Tel: +44 (0) 151 207 3030  
Fax: +44 (0) 151 207 3807  
e-mail: vikingliv@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT Ltd. Southampton Hamble Court, Hamble Lane SO31 4QL Southampton, Hampshire Great Britain

Tel: +44 (0) 2380 454184  
Fax: +44 (0) 2380 454284  
e-mail: vikingsth@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT Iceland ehf. Ishella 7 IS-221 Hafnarfjörður Iceland

Tel.: +354-544-2270  
Fax: +354-544-2271  
e-mail: viking-is@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT Mumbai Pte LTD Plot no W-9, T.T.C. Industrial Area, MIDC Pawane 400 705 Thane • India Tel.: +91(0)22 27689309 Fax: +91(0)22 276889709 India

Mobile: +91-22-2618 6233

### VIKING LIFE-SAVING EQUIPMENT Italia s.r.l. Via Delle Pianazze, 170 19136 – La Spezia Italy

Tel: +39 (0) 187-981322  
Fax: +39 0 187-982499  
e-mail: pedrotti@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT B.V. P.O. Box 266 3330 AG Zwijndrecht The Netherlands

Tel: +31 (0) 88 008 05 00  
Fax: +31 (0) 88 008 05 95  
e-mail: viking-nl@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT Norway AS Idrettsveien Straume Næringspark NO-5353 Straume (Bergen) Norway

Tel: +47-815-00- 325  
Fax: +47-56-32 61 10  
e-mail: bergen@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT Norway AS Oluf Onsumsvei 11 N-0680 Oslo Norway

Tel: +47-815-00- 325  
Fax: +47-22-68 84 80  
e-mail: viking-n@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT ISTANBUL DENIZCILIK TICARET AS Aydinli mah., Istanbul Anadolu Yakasi OSB. 4. Sokak. No 12 TR 34953 Tuzla-Istanbul Turkey

Tel: +90 216 593 31 79  
Fax: +90 216 593 31 78  
e-mail: vikingistanbul@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT Russia Promzona Gorelovo, Quarter 2 Volkhonskoe Shosse, Bldg. 2B, korp. 15 Lomonosovskiy Rajon 188508 Leningrad oblast, Russia

Tel.: +7 812 493 59 24  
Fax: +7 812 493 59 22  
e-mail: viking-ru@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT Pte Ltd. 14 Loyang Way 4 507601 Singapore • Singapore Singapore

Tel.: +65 64 24 92 00  
Fax: +65 64 24 92 10  
e-mail: viking-sg@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT (SA) (Pty) Ltd C/o Neptune & Carlisle Street Paarden Eiland 7420, P.O. Box 257 7420 Parden Eiland, Cape Town South Africa

Tel: +27 21 514 5160 / +27 21 514 5178  
Fax: +27 (0)86 403 4211  
e-mail: viking-sa@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT (SA) (Pty) Ltd Units No.2 Seebrook Park 210 Chamberlain Road 4026 Jacobs, Durban South Africa

Tel: +27 31 4681261  
Fax: +27 31 4681251  
e-mail: vikingdbn@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT Iberica S.A. Camino Rasposeira, 34 – Nave 2 36214 Vigo Spain

Tel: +34-98-6421445  
Fax: +34-98-6419286  
e-mail: viking-e@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT Sweden AB Grustagsvägen 5 138 40 NACKA, Ålta/Stockholm Sweden

Tel.: +46 8 408 907 00  
e-mail: viking-se@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT (Middle East) Al Jadaf Shipdocking Yard P.O. Box 13448 Dubai UAE (United Arab Emirates)

Tel: +971-4-324 3555  
Fax: +971-4-324 3444  
e-mail: viking-uae@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT (America), Inc. 11255 NW 106 St. Suite 1 Miami • FL • USA • 33178 U.S.A.

Tel.: +1 786 513 9900  
Fax: +1 786 513 9910  
e-mail: usasales@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT Korea 217-17 Shinsun-Ro, Nam-Gu 48553 Busan • South Korea

Tel.: +82 51 714 0831  
Fax: +82 51 714 0833





# Safety in Numbers

**Choose from the widest range of marine evacuation systems with the fastest, smoothest transfer capability.**

While it may not feel quite right to call passenger evacuation a "numbers game", we've got a few figures that really make a difference when it comes to passenger safety. Like the number 1984, for example. That's when we were first to introduce a marine evacuation system to the market. Thirty years later, we have over 1,000 systems in operation. That's more than anyone else - and it represents a wealth of experience.

Then there's the fact that we've got the market's widest range of choices. From the VAS mini-slide for evacuating up to 153 passengers in 30 minutes right up to our largest MES systems with the highest capacity in the market - 1008 passengers in the same amount of time. That makes us the clear leader in evacuation capacity.

Actually, some of our best numbers are very small. Like the fact that it takes just one crew member and a single button to release our evacuation systems. Or that many of our systems feature zero power supplies, zero bowing lines and just as few welding connections.

We're always ready to help you to navigate through our range of 14 different models with countless possible configurations. So why not ask us for the numbers best suited to your needs today?

**Find out more or contact your local VIKING representative at [www.VIKING-life.com](http://www.VIKING-life.com)**

## VIKING LIFE-SAVING EQUIPMENT

Saedding Ringvej 13 · DK-6710 Esbjerg V · Denmark  
Tel.: +45 76 11 81 00 · E-mail: [VIKING@VIKING-life.com](mailto:VIKING@VIKING-life.com)

[WWW.VIKING-LIFE.COM](http://WWW.VIKING-LIFE.COM)

DuPont™, Nomex® and Kevlar® are registered trademarks or trademarks of E.I. du Pont de Nemours and Company or its affiliates. Hammar® is a registered trademark of CM Hammar AB. Halkey Roberts® is a registered trademark of the Halkey-Roberts Corporation.